

WEST

End of Result Set

 [Generate Collection](#) [Print](#)

L1: Entry 9 of 9

File: DWPI

DERWENT-ACC-NO: 1968-81494P

DERWENT-WEEK: 196800

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Decorative non-corrosive flame-resistant structural

PATENT-ASSIGNEE:

ASSIGNEE

ORIENTAL METAL MFG CO LTD

CODE

ORIE

PRIORITY-DATA: 1963JP-0071390 (December 30, 1963)

PATENT-FAMILY:

PUB-NO

JP 67006678 B

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

000

ABSTRACTED-PUB-NO: JP 67006678B

BASIC-ABSTRACT:

Non-corrosive, flame-proof structural panels for use in building of walls, roofs etc. are prepd. by applying an adhesive (2) to one or both sides of a base sheet (1) made of metal or fibre-board which has been given anti-corrosive treatment. A fire resistant layer (3) is formed by applying to 2, electrostatically charged short fibres of asbestos or glass. A further layer of adhesive (4) is applied, and a uniform coating (5) of electrostatically-charged inorganic, pref. coloured ceramic or metallic powder is spread over (4), and dried. A durable, resinous transparent top coat (6) such as an acrylic resin is finally applied.

TITLE-TERMS: DECORATE NON CORROSION FLAME RESISTANCE STRUCTURE

DERWENT-CLASS: A00

CPI-CODES: A11-B09; A12-R01;

Multipunch Codes: 01& 074 308 309 431 441 445 477 516 523 541 543 551 560 561 613 616
618 720 722

WEST Search History

DATE: Monday, September 22, 2003

Set Name Query
side by side

Hit Count Set Name
result set

DB=DWPI; PLUR=YES; OP=ADJ

L1	metal fiber and anti corros\$	9	L1
----	-------------------------------	---	----

END OF SEARCH HISTORY

WEST Search History

DATE: Monday, September 22, 2003

Set Name Query

side by side

DB=USPT,PGPB; PLUR=YES; OP=ADJ

		<u>Hit Count</u>	<u>Set Name</u>
		result set	
L20	118 and 119	23	L20
L19	multifilament\$ or multi filament\$	9374	L19
L18	110 and 117	257	L18
L17	bag or container	480050	L17
L16	110 and 112	35	L16
L15	110 and 113	6	L15
L14	110 and 111	10	L14
L13	((442/228 442/229)!.CCLS.)	159	L13
	((442/239 442/240 442/241 442/242 442/243 442/244 442/245 442/246 442/247 442/248 442/249 442/250 442/251 442/252		
L12	442/253 442/254 442/255 442/256 442/257 442/258 442/259 442/260 442/261 442/262 442/263 442/264 442/265 442/266 442/267)!.CCLS.)	886	L12
L11	((442/3 442/6 442/15 442/16)!.CCLS.)	173	L11
L10	((428/105 428/106 428/107 428/108 428/109 428/110 428/111 428/112 428/113)!.CCLS.)	1922	L10

DB=DWPI; PLUR=YES; OP=ADJ

L9	14 and 18	82	L9
L8	layer or layered or ply or plied	1075147	L8
L7	14 and 16	4	L7
L6	electromagnetic\$ or electro magnetic\$	135804	L6
L5	electromag\$ or electro mag\$	163138	L5
L4	11 and 12 and L3	217	L4
L3	angle or angular	554493	L3
L2	metal or metallic or metalliz\$ or metaliz\$ or metalis\$ or metallis\$	1210489	L2
L1	scrim or woven	55475	L1

END OF SEARCH HISTORY

WEST Search History

DATE: Monday, September 22, 2003

Set Name Query

side by side

DB=USPT; PLUR=YES; OP=ADJ

L5 11 and 14

Hit Count Set Name
result set

36 L5

L4 (metal or metallic or metaliz\$ or metalliz\$).ab. 205986 L4

L3 metal\$.ab. 210179 L3

L2 metal\$ and L1 362 L2

L1 ((428/111 |428/113)!.CCLS.) 769 L1

END OF SEARCH HISTORY